



Lodi Memorial Hospital

975 South Fairmont, Lodi, CA 95240

Main Hospital
(209) 334-3411
Emergency Dept.
(209) 339-7575

EXITCARE® PATIENT INFORMATION

Patient Name: MARY PARVIN

Emergency Physician: Richard Lynton, MD, FACP

Stasis Dermatitis

Stasis dermatitis occurs when veins lose the ability to pump blood back to the heart (*poor venous circulation*). Dry skin is commonly accompanies poor venous circulation. Stasis dermatitis appears as red, scaly, itchy patches on the legs. A yellowish or light-brown discoloration is also present. Due to scratching or other trauma, these patches can become an ulcer and this ulcer may remain for long periods of time. The ulcer can also become infected. Swelling of the legs is often present with stasis dermatitis. If the leg is swollen, this increases the risk of infection and further damage to the skin. Sometimes intense itching occurs before signs of stasis dermatitis along with tingling and burning. You may find yourself scratching the insides of your ankles or rubbing your ankles together before the rash appears. After healing, there are often brown spots on the affected skin.

Treatment includes resting and elevating the affected leg above the level of the chest (heart) if possible. Topical cortisone creams and ointments may be needed, as well as medicine to reduce swelling in the legs (*diuretics*). Support hose or an elastic wrap may also be needed to reduce swelling. If there is an infection, antibiotics may also be used. Your skin may react to topical medicine (*sensitization*). Your skin may react to ingredients in wool wax alcohols, fragrances and even topical corticosteroids.

Burrow's solution wet packs applied for 30 minutes three times daily will help the weepy rash, but stop before your skin dries excessively. Instead of Burrow's solution, a less costly alternative is 3 parts of white vinegar to 1 quart of water. Grease your legs daily with ointments such as petroleum jelly to fight dryness. Avoid scratching or injuring the affected area. Call your doctor right away if your rash worsens, if an ulcer forms, or if you have a fever or other severe symptoms.

FOLLOW-UP INSTRUCTIONS

02 - 03 days unless better: Edmund Freund, M.D. - Lodi Memorial Community-Millsbridge 1901 W. Kettleman Lane. Ste 200 Lodi CA 95242- (209)334-8540

ADDITIONAL NOTES AND INSTRUCTIONS

FOLLOW UP WITH DR. FREUND. RETURN TO THE ER FOR NEW OR WORSENING SYMPTOMS.

Document Released: 1/25/2006 Document Revised: 10/15/2010 Document Reviewed: 5/7/2010

Lodi Memorial Hospital - Main Number (209) 334-3411